

L Number	Hits	Search Text	DB	Time stamp
3	451	700/17 AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:05
4	16	700/17 AND mobile AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:06
5	23	700/17 AND (mobile cellular) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:06
6	22	700/17 AND (mobile cellular) AND device AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:07
7	1	700/17 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:08
8	0	700/65 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:08
9	2	700/83 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:09
11	0	700/264 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:09
10	5	700/\$ AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:11
13	0	345/734 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:13

14	0	345/735 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:12
15	0	345/736 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:12
16	0	345/737 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:12
17	0	345/738 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:12
18	0	345/739 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:12
19	0	345/740 AND (mobile cellular) AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:12
23	4	345/734 AND (mobile cellular) AND device AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:15
24	3	345/735 AND (mobile cellular) AND device AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:17
25	9	345/736 AND (mobile cellular) AND device AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:17
26	4	345/736 AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:18
27	14	345/734-740.ccls. AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:21

28	21	345/853-854.ccls. AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:21
29	18	345/864 AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:46
30	19	(340/3.1 340/3.9 340/3.71) AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:54
31	0	(340/3.1 340/3.9 340/3.71) AND (mobile cellular) AND (control WITH (field ADJ device)) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:50
32	0	(340/3.1 340/3.9 340/3.71) AND (mobile cellular) AND control AND (field ADJ device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:50
33	15	(455/3.01 455/3.03) AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 12:59
35	123	455/68 AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:00
34	187	(455/423 455/425) AND (mobile cellular) AND (control WITH device) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:02
36	258	(mobile terminal) AND (cellular communication) AND (selective remote) AND (control configure monitor) AND (field ADJ device) AND (interactive user interface) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:30
37	103	(mobile terminal) AND (cellular communication) AND (selective remote) AND ((control configure monitor) WITH (field ADJ device)) AND (interactive user interface) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:35
38	2	(mobile terminal) AND (cellular communication) AND (selective remote) AND ((control configure monitor) WITH (field ADJ device)) AND (interactive navigation) AND (user interface) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:38

39	63	(mobile terminal) AND (cellular communication) AND (selective remote) AND ((control configure monitor) WITH (field ADJ device)) AND (interactive selection navigation) AND (user interface) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:45
40	83	(wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:46
41	78	(mobile cellular terminal) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:47
42	67	(control configure monitor) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:47
43	10	((control configure monitor) NEAR device) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:48
44	43	((control configure monitor) WITH device) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:58
46	0	((control configure monitor) WITH actuator) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:55
45	1	((control configure monitor) WITH valve) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:56
47	0	((control configure monitor) WITH pump) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:57
48	0	((control configure monitor) WITH (field ADJ device)) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:57
49	35	(selective remote) AND ((control configure monitor) WITH device) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:59

50	41	(browser interface) AND ((control configure monitor) WITH device) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 13:59
51	34	(browser interface) AND (selective remote) AND ((control configure monitor) WITH device) AND (wireless ADJ application ADJ protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:04
52	13259	(browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND (wireless cellular mobile) AND (server network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:11
54	4626	(browser interface screen) AND ((control configure monitor) NEAR (device valve pump)) AND (wireless cellular mobile) AND (server network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:12
53	35	702/188 AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND (wireless cellular mobile) AND (server network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:12
56	2	6317701.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:12
55	14	702/188 AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND (wireless cellular mobile) AND server AND (network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:16
57	3127	((mobile ADJ terminal) pda phone) AND (cellular wireless communication) AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND server AND (network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:20
58	5362	((mobile ADJ terminal) pda phone (hand ADJ held) portable) AND (cellular wireless communication) AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND server AND (network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:21
59	96	(mobile ADJ terminal) AND (cellular wireless communication) AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND server AND (network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:28

61	83	((mobile cellular wireless) ADJ terminal) AND communication AND internet AND server AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND (network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:32
60	40	((mobile cellular wireless) ADJ terminal) AND communication AND gateway AND internet AND server AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND (network protocol) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:34
65	67	((mobile cellular wireless) ADJ terminal) AND ((mobile cellular wireless) ADJ communication) AND internet AND (network protocol) AND server AND (browser interface screen) AND ((control configure monitor) WITH (device valve pump)) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:48
66	24	((mobile cellular wireless) ADJ terminal) AND ((mobile cellular wireless) ADJ communication) AND internet AND (network protocol) AND server AND (browser interface screen) AND ((control configure monitor) NEAR (device valve pump)) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:06
67	17	((mobile cellular wireless) ADJ terminal) AND ((mobile cellular wireless) ADJ communication) AND internet AND (network protocol) AND server AND ((browser interface screen) SAME ((control configure monitor) NEAR (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:17
69	2497	(mobile cellular wireless portable) AND communication AND ((browser interface screen display) WITH ((control configure monitor) NEAR (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:21
70	0	700/\$ AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) NEAR (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:22
68	34	((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) NEAR (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:22
75	32	700/\$ AND (mobile cellular wireless portable) AND communication AND ((browser interface screen display) NEAR ((control configure monitor) NEAR (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:44
77	0	(700/17 700/65 700/83 700/264) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:15

79	0	(345/734-740.ccls.) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:57
80	0	(345/854-855.ccls.) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:57
81	0	345/864 AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:58
82	0	702/188 AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:58
78	1	(340/3.1 340/3.71 340/3.9) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:58
83	0	(455/3.01 455/3.03) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:59
84	5	(455/423 455/425) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:59
85	1	(455/68) AND ((mobile cellular wireless) ADJ terminal) AND communication AND ((browser interface screen) WITH ((control configure monitor) WITH (device valve pump))) AND (@ad<19990414 @rlad<19990414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:04
86	1	0825506.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:16
88	5	"0825506"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:18
89	10	"825506"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 16:18